



* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

Trade name: Green Screen

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Turf colour

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TURF Handels GmbH
Am Hartboden 48
A-8101 Gratkorn
T: +43 3124 29064
F: +43 3124 29062

Further information obtainable from: Email: office@turf.at

1.4 Emergency telephone number:

+43 3124 29064

Available during office hours:

Mo - Th: 8 a.m. - 4.30 p.m.

Fr: 8 a.m. - 2.30 p.m.

Call the national emergency number!

* **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 void

Hazard pictograms void

Signal word void

Hazard statements void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0,1$ %.

vPvB: The mixture does not contain vPvB substances $\geq 0,1$ %.

* **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

(Contd. on page 2)

Trade name: Green Screen

(Contd. of page 1)

| | | |
|---|---|---------|
| CAS: 25322-68-3 NLP: 500-038-2 | Polyethylene glycol substance with a Community workplace exposure limit | < 0.25% |
| CAS: 112945-52-5 EINECS: 231-545-4 Reg.nr.: 01-2119379499-16-XXXX | HYDROPHILIC PYROGENIC SILICA substance with a Community workplace exposure limit | < 0.25% |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment in case of complaints.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment in case of complaints.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

If the patient is conscious, make him drink water.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

CO_x

(Contd. on page 3)



Trade name: Green Screen

(Contd. of page 2)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

* **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Ensure good ventilation.

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in dry conditions.

Store receptacle in a well ventilated area.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from feeding stuff.

(Contd. on page 4)



Trade name: Green Screen

(Contd. of page 3)

Further information about storage conditions:

Keep container tightly sealed.
Protect container from damage.
Protect from heat and direct sunlight.

Recommended storage temperature: room temperature

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

*** SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 25322-68-3 Polyethylene glycol

| | |
|---------------|--|
| AGW (Germany) | Long-term value: 200 E mg/m ³ 2(II);DFG, Y |
|---------------|--|

CAS: 112945-52-5 HYDROPHILIC PYROGENIC SILICA

| | |
|---------------|---|
| MAK (Austria) | Long-term value: 4 E mg/m ³ |
| AGW (Germany) | Long-term value: 4 E mg/m ³ DFG, 2, Y |

Regulatory information

AGW (Germany): TRGS 900
MAK (Austria): GKV 2020, 156. Verordnung, 09.04.2021, Teil II

DNELs

CAS: 25322-68-3 Polyethylene glycol

| | | |
|------------|---------------------------------------|----------------------------------|
| Dermal | Long-term exposure - systemic effects | 112 mg/kg bw/d (workers) |
| Inhalative | Long-term exposure - systemic effects | 40.2 mg/m ³ (workers) |

PNECs

CAS: 25322-68-3 Polyethylene glycol

| | |
|------------------------|----------------|
| fresh water | 273 mg/l |
| sea water | 27.3 mg/l |
| sediment (fresh water) | 1,030 mg/kg dw |
| sediment (sea water) | 103 mg/kg dw |
| soil | 46.4 mg/kg dw |

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 5)



Trade name: Green Screen

(Contd. of page 4)

Keep away from foodstuffs, beverages and feed.
Do not eat or drink while working.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Avoid breathing mist/vapours/spray.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:

If vapours/aerosols and/or inadequate ventilation are present, respiratory protection must be worn.

Hand protection

Wear protective gloves for prolonged or repeated handling.
EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

Nitrile rubber gloves; recommended material thickness: 0.35 mm, penetration time: ≥ 480 min
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety glasses
EN 166

Body protection: Protective work clothing

Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

* **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

| | |
|---|---------------------------|
| Physical state | Fluid |
| Colour: | Black |
| Odour: | Characteristic |
| Odour threshold: | No information available. |
| Melting point/freezing point: | No information available. |
| Boiling point or initial boiling point and boiling range | 100 °C |
| Flammability | Not flammable. |
| Lower and upper explosion limit | |
| Lower: | No information available. |
| Upper: | No information available. |

(Contd. on page 6)



Trade name: Green Screen

(Contd. of page 5)

| | |
|--|---------------------------|
| Flash point: | Not applicable. |
| Decomposition temperature: | No information available. |
| pH at 20 °C | 7.2 |
| Viscosity: | |
| Kinematic viscosity | No information available. |
| Dynamic: | No information available. |
| Solubility | |
| water: | Soluble. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | No information available. |
| Density and/or relative density | |
| Density at 20 °C: | 1.14 g/cm ³ |
| Vapour density | No information available. |

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Softening point/range

Oxidising properties None.

Evaporation rate No information available.

Information with regard to physical hazard classes

| | |
|--|------|
| Explosives | void |
| Flammable gases | void |
| Aerosols | void |
| Oxidising gases | void |
| Gases under pressure | void |
| Flammable liquids | void |
| Flammable solids | void |
| Self-reactive substances and mixtures | void |
| Pyrophoric liquids | void |
| Pyrophoric solids | void |
| Self-heating substances and mixtures | void |
| Substances and mixtures, which emit flammable gases in contact with water | void |
| Oxidising liquids | void |
| Oxidising solids | void |
| Organic peroxides | void |
| Corrosive to metals | void |

(Contd. on page 7)



Trade name: Green Screen

(Contd. of page 6)

Desensitised explosives void

* **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No further relevant information available.

10.4 Conditions to avoid Protect from heat and direct sunlight.

10.5 Incompatible materials:

strong oxidizing agents

strong reducing agents

strong acids

Strong alkalis.

10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

* **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 25322-68-3 Polyethylene glycol

| | | |
|------|------|--------------------|
| Oral | LD50 | 44,200 mg/kg (rat) |
|------|------|--------------------|

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

* **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential Bioaccumulation is not expected.

12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

Trade name: Green Screen

(Contd. of page 7)

12.5 Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0,1$ %.

vPvB: The mixture does not contain vPvB substances $\geq 0,1$ %.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

* **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

| | |
|----------|---|
| 02 01 09 | agrochemical waste other than those mentioned in 02 01 08 |
|----------|---|

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

* **SECTION 14: Transport information**

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA not regulated

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": not regulated

(Contd. on page 9)



Trade name: Green Screen

(Contd. of page 8)

* **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Department issuing SDS:

UmEnA GmbH

<http://umena.at>

Email: office@umena.at

Date of previous version: 26.08.2016

Version number of previous version: 1.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC



Page 10/10

Printing date 19.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 19.04.2023

Trade name: Green Screen

(Contd. of page 9)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

*** Data compared to the previous version altered.**

EU —