

Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Germinex Talc TG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Seed treatment

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TURF Handels GmbH Am Hartboden 48 A-8101 Gratkorn

T: +43 3124 29064 F: +43 3124 29062

Further information obtainable from: Email: office@turf.at

1.4 Emergency telephone number:

+43 3124 29064

Available during office hours: Mo - Th: 8 a.m. - 4.30 p.m.

Fr: 8 a.m. - 2.30 p.m.

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Repr. 1B H360FD May damage fertility. May damage the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





Signal word Danger

(Contd. on page 2)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 1)

Hazard-determining components of labelling:

boric acid

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances \geq 0,1 %. **vPvB:** The mixture does not contain vPvB substances \geq 0,1 %.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

EINECS: 231-753-5	iron sulphate Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Aquatic Chronic 3, H412	1 – 10%
	zinc sulphate (anhydrous) Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302	< 1.0%
EINECS: 231-847-6 Index number: 029-004-00-0	copper sulphate Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 1.0%

(Contd. on page 3)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 2)

CAS: 10043-35-3 EINECS: 233-139-2

Index number: 005-007-00-2

RTECS: ED 4550000

Reg.nr.: 01-2119486683-25-XXXX

boric acid < 1.0%

Repr. 1B, H360FD

SVHC

CAS: 10043-35-3 boric acid

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

If the patient is conscious, make him drink water.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 4)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0)

rsion number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 3)

COx, SOx

Boron oxides

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Avoid formation of dust.

Do not breathe dust.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Pick up dry.

Avoid formation of dust.

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure adequate ventilation.

Keep receptacles tightly sealed.

Open and handle receptacle with care.

Avoid contact with skin and eyes.

Prevent formation of dust.

Avoid breathing dust.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

Information about fire - and explosion protection:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Dust can combine with air to form an explosive mixture.

Keep respiratory protective device available.

(Contd. on page 5)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 4)

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a dry, cool, well-ventilated area.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from feeding stuff.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Protect from frost.

Protect from moisture.

Recommended storage temperature: room temperature

Storage class: 6.1 D

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
CAS: 7720-78-7 iron sulphate		
LEP (Spain)	Long-term value: 1 mg/m³ c, como Fe	
WEL (Great Britain)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ as Fe	
CAS: 7733-02-0 zin	c sulphate (anhydrous)	
MAK (Germany)	Long-term value: 0.1A* 2E** mg/m³ *alveolengängig; **einatembar	
CAS: 7758-98-7 cop	pper sulphate	
MAK (Austria)	Short-term value: 4E; 0.4A* mg/m³ Long-term value: 1E; 0.1A* mg/m³ als Cu berechnet; *als Rauch	
MAK (Germany)	Long-term value: 0.01 A mg/m³ als Cu	
LEP (Spain)	Long-term value: 0.01 mg/m³ Fracc. resp.; d ,como Cu	
WEL (Great Britain)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ dusts and mists, as Cu	
WGW (Netherland)	Long-term value: 0.1 mg/m³ inhaleerbaar	
	(Contd. on page 6)	



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0)

Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 5)

CAS: 10043-35-3 boric acid	
AGW (Germany)	Long-term value: 0.5* mg/m³ 2(I);*einatembar; AGS, Y, 10
LEP (Spain)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³ TR1B, s, r
TWA (Italy)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³ (i), A4

Regulatory information

LEP (Spain): Límites de exposición profesional para agentes químicos

WEL (Great Britain): EH40/2020 MAK (Germany): MAK- und BAT-Liste

MAK (Austria): GKV 2020, 156. Verordnung, 09.04.2021, Teil II WGW (Netherland): Grenswaarden gezondheidsschadelijke stoffen

AGW (Germany): TRGS 900 TWA (Italy): Valori Limite di Soglia

DNELs	DNELs		
CAS: 772	CAS: 7720-78-7 iron sulphate		
Oral	Long-term exposure - systemic effects	0.28 mg/kg bw/d (consumer)	
Dermal	Long-term exposure - systemic effects	1.4 mg/kg bw/d (consumer)	
		2.8 mg/kg bw/d (workers)	
CAS: 10043-35-3 boric acid			
Dermal	Long-term exposure - systemic effects	392 mg/kg bw/d (workers)	
Inhalative	Long-term exposure - systemic effects	8.3 mg/m³ (workers)	

PNECs	PNECs		
CAS: 1004	3-35-3 boric acid		
fresh water	2.9 mg/l		
sea water	2.9 mg/l		
STP	10 mg/l		

Regulatory information

soil

Additional Occupational Exposure Limit Values for possible hazards during processing:

The national dust limits must be observed in the event of dust generation.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

5.7 mg/kg dw

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

(Contd. on page 7)



Printing date 20.04.2023 Version number 2.0

Version number 2.0 (replaces version 1.0)

(Contd. of page 6)

Revision: 20.04.2023

Trade name: Germinex Talc TG

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

Prevent formation of dust.

Do not breathe dust.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:

Wear dust mask during formation of dust.

Recommended filter type: P2, P3

Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

Chloroprene gloves; Recommended material thickness: ≥ 0.5 mm, Penetration time: ≥480 min

Nitrile rubber gloves; recommended material thickness: 0.35 mm, penetration time: ≥480 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection: Protective work clothing

(Contd. on page 8)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 7)

Environmental exposure controls

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateSolidColour:WhiteOdour:Odourless

Odour threshold:No information available.Melting point/freezing point:No information available.

Boiling point or initial boiling point and boiling

range No information available.

Flammability Not determined.

Lower and upper explosion limit

Lower:No information available.Upper:No information available.

Flash point: Not applicable.

Decomposition temperature:No information available.

pH Not applicable.

Viscosity:

Kinematic viscosity Dynamic:Not applicable.
Not applicable.

Solubility

water: No information available.

Partition coefficient n-octanol/water (log value)

10043-35-3 boric acid -1,09 log Kow

Vapour pressure: Not applicable.

Density and/or relative density

Density at 20 °C:2.5 – 2.8 g/cm³Vapour densityNot applicable.Particle characteristicsSee section 3.

9.2 Other information

Appearance:

Form: Solid

Important information on protection of health

and environment, and on safety.

Ignition temperature: No information available.

Explosive properties: Product does not present an explosion hazard.

Dust can combine with air to form an explosive

mixture.

(Contd. on page 9)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 8)

Change in condition Softening point/range

Oxidising properties No information available.

Evaporation rate Not applicable.

Information with regard to physical hazard

classes

Explosives void Flammable gases void **Aerosols** void Oxidising gases void Gases under pressure void Flammable liquids void Flammable solids void Self-reactive substances and mixtures void Pyrophoric liquids void Pyrophoric solids void Self-heating substances and mixtures void Substances and mixtures, which emit flammable gases in contact with water void **Oxidising liquids** void Oxidising solids void Organic peroxides void Corrosive to metals void **Desensitised explosives** void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No further relevant information available.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from heat and direct sunlight.

10.5 Incompatible materials:

strong oxidizing agents

strong reducing agents

strong acids

Strong alkalis.

10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 10)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0)

Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 9)

LD/LC50 values relevant for classification:			
CAS: 7720-78-7 iron sulphate			
Oral	LD50	500 mg/kg (rat)	
CAS: 77	CAS: 7733-02-0 zinc sulphate (anhydrous)		
Oral	LD50	926 mg/kg (rat)	
		Quelle: Euopäische Chemikalienagentur http://www.echa.eu	
CAS: 77	CAS: 7758-98-7 copper sulphate		
Oral	LD50	481 mg/kg (rat)	
		Quelle: Europäische Chemikalienagentur http://www.echa.eu	
CAS: 10043-35-3 boric acid			
Oral	LD50	3,450 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (Rabbit)	
		2 2,000 Hig/kg (Nabbit)	

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity May damage fertility. May damage the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic tox	Aquatic toxicity:		
CAS: 7733-	CAS: 7733-02-0 zinc sulphate (anhydrous)		
EC50 (48 h)	0.259 mg/l (daphnia) (Daphnia magna)		
LC50 (96 h)	0.3 mg/l (fish) (Pimephales promelas)		
IC50 (72 h)	0.136 mg/l (algae) (Pseudokirchneriella subcapitata)		
CAS: 7758-	CAS: 7758-98-7 copper sulphate		
EC50 (48 h)	0.0094 mg/l (daphnia) (Daphnia magna)		
EC50 (72 h)	0.136 mg/l (algae) (Chlamydomonas reinhardtii)		
LC50 (96 h)	0.0138 mg/l (fish) (Onchorhynchus mykiss)		
	(Contd. on page 11)		



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0)

Trade name: Germinex Talc TG

Revision: 20.04.2023

(Contd. of page 10)

CAS: 10043-35-3 boric acid

EC50 (48 h) 133 mg/l (daphnia) (Daphnia magna)

ECOTOX Database

LC50 (96 h) 50 – 100 mg/l (fish) (Onchorhynchus mykiss)

ECOTOX Database

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

10043-35-3 boric acid -1,09 log Kow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances ≥ 0.1 %. **vPvB:** The mixture does not contain vPvB substances ≥ 0.1 %.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark: Harmful to fish

Additional ecological information:

General notes:

Harmful to aquatic life with long lasting effects.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

02 01 08*	agrochemical waste containing hazardous substances
HP10	Toxic for reproduction
HP14	Ecotoxic

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

not regulated

(Contd. on page 12)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0) Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 11)

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA not regulated

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.
UN "Model Regulation": not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 10043-35-3 boric acid

(Contd. on page 13)



Printing date 20.04.2023 Version number 2.0 (replaces version 1.0)

Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 12)

Global Automotive Declarable Substance List (GADSL):		
CAS: 7758-98-7	copper sulphate	D/P(LR)
CAS: 10043-35-3	boric acid	D/P(LR)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302	Harmful if	swallowed.
------	------------	------------

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H360FD May damage fertility. May damage the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Classification according to Regulation (EC) No 1272/2008		
Skin corrosion/irritation	The classification of the mixture is generally based	
Serious eye damage/irritation	on the calculation method using substance data	
Reproductive toxicity	according to Regulation (EC) No 1272/2008.	
Hazardous to the aquatic environment - long-term		
(chronic) aquatic hazard		

Department issuing SDS:

UmEnA GmbH http://umena.at

Email: office@umena.at

Date of previous version: 20.04.2023 Version number of previous version: 1.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

(Contd. on page 14)



Printing date 20.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 20.04.2023

Trade name: Germinex Talc TG

(Contd. of page 13)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU —