

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Maxiplex

UFI: 2410-X0YK-F00T-EHFK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Soil amendment

Uses advised against

To be used only where there is a recognized need. Do not exceed the appropriate dose rates.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TURF Handels GmbH

Am Hartboden 48

A-8101 Gratkorn

T: +43 3124 29064

F: +43 3124 29062

Further information obtainable from: Email: office@turf.at

1.4 Emergency telephone number:

+43 3124 29064

Available during office hours:

Mo - Th: 8 a.m. - 4.30 p.m.

Fr: 8 a.m. - 2.30 p.m.

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

(Contd. on page 2)

Trade name: Maxiplex

(Contd. of page 1)

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0,1$ %.

vPvB: The mixture does not contain vPvB substances $\geq 0,1$ %.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 RTECS: TT 2102000 Reg.nr.: 01-2119487136-33-XXXX	potassium hydroxide Met. Corr. 1, H290; Skin Corr. 1A, H314 Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 5$ % Skin Corr. 1B; H314: $2 \% \leq C < 5$ % Skin Irrit. 2; H315: $0.5 \% \leq C < 2$ % Eye Irrit. 2; H319: $0.5 \% \leq C < 2$ %	0 - 1%
--	---	--------

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment.

(Contd. on page 3)



Trade name: Maxiplex

(Contd. of page 2)

After eye contact:

Rinse opened eye for several minutes under running water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Seek medical treatment.

After swallowing:

Rinse mouth.
Do NOT induce vomiting.
If the patient is conscious, make him drink water.
Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Causes eye and skin irritation.
Inhalation of vapors or mists may cause irritation to mucous membranes and upper respiratory tract.
Swallowing may cause gastrointestinal irritation with nausea, vomiting and diarrhea.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.
Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Avoid contact with skin and eyes.
Do not breathe vapour/spray.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding, inert material (sand, diatomite, acid binders, universal binders).
Dispose of the material collected according to regulations.
Clean with water.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Trade name: Maxiplex

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Ensure adequate ventilation.
- Keep receptacles tightly sealed.
- Avoid contact with skin and eyes.
- Prevent formation of aerosols.
- Avoid breathing mist/vapours/spray.
- Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.
- Use personal protective equipment as required.
- Observe protective measures and safety instructions.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

- Store in a dry, cool, well-ventilated area.
- Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility:

- Store away from feeding stuff.
- Store away from foodstuffs.
- Store away from oxidising agents.

Further information about storage conditions:

- Store in original container.
- Keep container tightly sealed.
- Protect container from damage.
- Protect from frost.
- Avoid temperatures below 5 °C.

Recommended storage temperature: room temperature

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-58-3 potassium hydroxide

MAK (Austria)	Long-term value: 2 E mg/m ³
LEP (Spain)	Short-term value: 2 mg/m ³
VLEP (France)	Short-term value: 2 mg/m ³
WEL (Great Britain)	Short-term value: 2 mg/m ³
TWA (Italy)	Ceiling limit: 2 mg/m ³

(Contd. on page 5)

Trade name: Maxiplex

(Contd. of page 4)

Regulatory information

MAK (Austria): GKV 2020, 156. Verordnung, 09.04.2021, Teil II

LEP (Spain): Límites de exposición profesional para agentes químicos

VLEP (France): ED 1487 05.2021

WEL (Great Britain): EH40/2020

TWA (Italy): Valori Limite di Soglia

DNELs

CAS: 1310-58-3 potassium hydroxide

Inhalative	Long-term exposure - systemic effects	1 mg/m ³ (workers)
	Long-term exposure - local effects	1 mg/m ³ (consumer)

PNECs No data available.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Prevent formation of aerosols.

Avoid breathing mist/vapours/spray.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Respiratory protection:

If vapours/aerosols and/or inadequate ventilation are present, respiratory protection must be worn.

Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 6)

Trade name: Maxiplex

(Contd. of page 5)

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection: Protective work clothing

Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	Black
Odour:	earthy
Odour threshold:	No information available.
Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range	104 - 110 °C
Flammability	Not flammable.
Lower and upper explosion limit	
Lower:	No information available.
Upper:	No information available.
Flash point:	Not applicable.
Decomposition temperature:	No information available.
pH at 20 °C	10
Viscosity:	
Kinematic viscosity	No information available.
Dynamic:	No information available.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.03 g/cm ³

(Contd. on page 7)

Trade name: Maxiplex

(Contd. of page 6)

Vapour density No information available.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Softening point/range

Oxidising properties None.

Evaporation rate No information available.

Information with regard to physical hazard classes

Explosives void

Flammable gases void

Aerosols void

Oxidising gases void

Gases under pressure void

Flammable liquids void

Flammable solids void

Self-reactive substances and mixtures void

Pyrophoric liquids void

Pyrophoric solids void

Self-heating substances and mixtures void

Substances and mixtures, which emit flammable

gases in contact with water void

Oxidising liquids void

Oxidising solids void

Organic peroxides void

Corrosive to metals void

Desensitised explosives void

SECTION 10: Stability and reactivity

10.1 Reactivity No hazardous reactions known if stored and used as prescribed.

10.2 Chemical stability No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

oxidizing agent

Acids

10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

Trade name: Maxiplex

(Contd. of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	≥ 27,300 mg/kg (rat)
------	------	----------------------

CAS: 1310-58-3 potassium hydroxide

Oral	LD50	273 mg/kg (rat)
------	------	-----------------

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 1310-58-3 potassium hydroxide

LC50 (96 h)	80 mg/l (fish) (Gambusia affinis)
-------------	-----------------------------------

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential Bioaccumulation is not expected.

12.4 Mobility in soil In the soil, product follows natural cycle to provide plant nutrients.

12.5 Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances ≥ 0,1 %.

vPvB: The mixture does not contain vPvB substances ≥ 0,1 %.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 9)



Trade name: Maxiplex

(Contd. of page 8)

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

02 01 08*	agrochemical waste containing hazardous substances
HP4	Irritant - skin irritation and eye damage

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 10)



Trade name: Maxiplex

(Contd. of page 9)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	Classification based on supplier information.
Serious eye damage/irritation	

Department issuing SDS:

UmEnA GmbH

<http://umena.at>

Email: office@umena.at

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC



Page 11/11

Printing date 20.04.2023

Version number 1.0

Revision: 20.04.2023

Trade name: Maxiplex

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

EU