Version number 1

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Perk Up

UFI: VH20-200X-C00Q-1YSM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Foliar Nutrient

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TURF Handels GmbH Am Hartboden 48 A-8101 Gratkorn T: +43 3124 29064

F: +43 3124 29062

Further information obtainable from: Email: office@turf.at

1.4 Emergency telephone number:

+43 3124 29064

Available during office hours: Mo - Th: 8 a.m. - 4.30 p.m.

Fr: 8 a.m. - 2.30 p.m.

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GUSUS

Signal word Danger

Hazard-determining components of labelling:

glutaric acid malonic acid

(Contd. on page 2)

Version number 1

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 1)

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances \geq 0,1 %. **vPvB:** The mixture does not contain vPvB substances \geq 0,1 %.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

CAS: 7778-18-9	calcium sulphate, natural	> 10 − ≤ 50%
EINECS: 231-900-3	substance with a Community workplace exposure limit	
CAS: 110-94-1	glutaric acid	> 2.5 − ≤ 25%
EINECS: 203-817-2	♠ Eye Dam. 1, H318	
RTECS: MA 3740000	Skin Irrit. 2, H315	
CAS: 141-82-2	malonic acid	0 − ≤ 10%
EINECS: 205-503-0	♠ Eye Dam. 1, H318	
RTECS: OO 0175000		

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Take off immediately all contaminated clothing and wash it before reuse.

Seek medical treatment.

(Contd. on page 3)

Varsian number 1

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 2)

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist or eye clinic immediately.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

If the patient is conscious, make him drink water.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

In case of fire, the following can be released:

COx

Calcium oxide

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding, inert material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

Clean again.

Ensure adequate ventilation.

(Contd. on page 4)

Varsion number 1

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 3)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Use only outdoors or in a well-ventilated area.

Keep receptacles tightly sealed.

Open and handle receptacle with care.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

Do not breathe mist/vapours/spray.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from feeding stuff.

Store away from oxidising agents.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Protect container from damage.

Recommended storage temperature: room temperature

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: CAS: 7778-18-9 calcium sulphate, natural		
AGW (Germany)	Long-term value: 6 A mg/m³ DFG (Contd. on page 5)	

(Contd. on page 5)



Printing date 24.04.2023 Revision: 24.04.2023 Version number 1.0

Trade name: Perk Up

		(Contd. of page 4)
LEP (Spain)	Long-term value: 10 mg/m³	
	e	
VLEP (France)	Long-term value: 10 mg/m³	
TWA (Italy)	Long-term value: 10 mg/m³	
	(i)	
CAS: 110-94-1 glutaric acid		
AGW (Germany)	Long-term value: 2E mg/m³	
	2(I);DFG, Y	

Regulatory information

MAK (Austria): GKV 2020, 156. Verordnung, 09.04.2021, Teil II

AGW (Germany): TRGS 900

LEP (Spain): Límites de exposición profesional para agentes químicos

VLEP (France): ED 1487 05.2021 TWA (Italy): Valori Limite di Soglia

DNELs No data available. PNECs No data available.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation/exhaustion at the workplace.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Respiratory protection:

If vapours/aerosols and/or inadequate ventilation are present, respiratory protection must be worn.

Hand protection



Protective gloves

EN 374

(Contd. on page 6)



Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection: Protective work clothing

Environmental exposure controls

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid
Colour: Dark brown

Odour:Slight ammonia odor.Odour threshold:No information available.Melting point/freezing point:No information available.

Boiling point or initial boiling point and boiling

range 100 °C

Flammability Product is not flammable.

Lower and upper explosion limit

Lower:No information available.Upper:No information available.

Flash point: Not applicable.

Decomposition temperature:No information available.

pH at 20 °C 6.2

Viscosity:

Kinematic viscosityNo information available. **Dynamic:**No information available.

Solubility

water: Fully miscible.

(Contd. on page 7)



Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 6)

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 1.42 g/cm³

Vapour density No information available.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Softening point/range

Oxidising propertiesNo information available.Evaporation rateNo information available.

Information with regard to physical hazard

classes

Explosives void Flammable gases void Aerosols void Oxidising gases void Gases under pressure void Flammable liquids void Flammable solids void Self-reactive substances and mixtures void **Pyrophoric liquids** void Pyrophoric solids void Self-heating substances and mixtures void Substances and mixtures, which emit flammable gases in contact with water void Oxidising liquids void Oxidising solids void Organic peroxides void Corrosive to metals void

SECTION 10: Stability and reactivity

Desensitised explosives

- **10.1 Reactivity** No hazardous reactions known if stored and used as prescribed.
- **10.2 Chemical stability** No decomposition if used and stored according to specifications.

void

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Protect from frost.
- 10.5 Incompatible materials: oxidizing agent

(Contd. on page 8)

Version number 1

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 7)

10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 110-94-1 glutaric acid

Oral LD50 6,000 mg/kg (mouse)

CAS: 141-82-2 malonic acid

Oral LD50 2,750 mg/kg (rat)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 110-94-1 glutaric acid

EC50 (48 h) 6,840 mg/l (daphnia) (Daphnia magna)

CAS: 141-82-2 malonic acid

EC50 (48 h) 275 mg/l (daphnia) (Daphnia magna)

12.2 Persistence and degradability

For the inorganic ingredients, the methods for determining biodegradability are not applicable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0.1 \%$.

vPvB: The mixture does not contain vPvB substances ≥ 0.1 %.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)

Version number 1.0

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 8)

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

02 01 08*	agrochemical waste containing hazardous substances
HP4	Irritant - skin irritation and eye damage

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA not regulated
14.5 Environmental hazards: Not applicable.
14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.
UN "Model Regulation": not regulated

(Contd. on page 10)

Version number 1

Printing date 24.04.2023

Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Classification based on supplier information.

Serious eye damage/irritation

Department issuing SDS:

UmEnA GmbH

http://umena.at

Email: office@umena.at

EXPLRIS FOR YOU

Printing date 24.04.2023 Version number 1.0 Revision: 24.04.2023

Trade name: Perk Up

(Contd. of page 10)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

EU —