Version number 1.0

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Phlex-Man
UFI: 5G10-Y0R5-P00S-2VSU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Foliar Nutrient

Uses advised against

To be used only where there is a recognized need. Do not exceed the appropriate dose rates.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TURF Handels GmbH Am Hartboden 48 A-8101 Gratkorn T: +43 3124 29064

F: +43 3124 29062

Further information obtainable from: Email: office@turf.at

1.4 Emergency telephone number:

+43 3124 29064

Available during office hours:

Mo - Th: 8 a.m. - 4.30 p.m.

Fr: 8 a.m. - 2.30 p.m.

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Danger

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 1)

Hazard-determining components of labelling:

manganese sulphate

Hazard statements

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances $\geq 0,1$ %. **vPvB:** The mixture does not contain vPvB substances $\geq 0,1$ %.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

| | CAS: 7785-87-7 | manganese sulphate | 10 - 20% |
|---|--------------------------------|---|----------|
| | EINECS: 232-089-9 | ♦ STOT RE 2, H373 | |
| | Index number: 025-003-00-4 | Eye Dam. 1, H318 | |
| | Reg.nr.: 01-2119456624-35-XXXX | Aquatic Chronic 2, H411 | |
| | | | |
| ŀ | CAS: 77-92-9 | Citric acid | 5 - 10% |
| | EINECS: 201-069-1 | (1) Eye Irrit. 2, H319; STOT SE 3, H335 | |
| | Index number: 607-750-00-3 | Lyc init. 2, 11010, 0101 0E 0, 11000 | |
| | RTECS: GE 7350000 | | |
| | Reg.nr.: 01-2119457026-42-XXXX | | |
| | 1.6g.111 01-2119437020-42-XXXX | | |
| | | | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

(Contd. on page 3)

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 2)

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist or eye clinic immediately.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

If the patient is conscious, make him drink water.

Call a doctor immediately.

Never administer anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe eye irritation or damage.

May cause skin irritation on prolonged or repeated use.

Swallowing may cause nausea and diarrhea.

Prolonged overexposure to manganese Sulfates may cause headache, apathy, muscle weakness and neurological effects such as euphoria, impulsiveness and insomnia.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

COx, SOx

Metal Oxides/Oxides

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding, inert material (sand, diatomite, acid binders, universal binders).

Clean with water.

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation.

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Prevent formation of aerosols.

Do not breathe mist/vapours/spray.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in dry conditions.

Store receptacle in a well ventilated area.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from feeding stuff.

Further information about storage conditions:

Keep container tightly sealed.

Protect container from damage.

Protect from frost.

(Contd. on page 5)

Varsion number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 4)

Recommended storage temperature: room temperature

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Ingredients with lin | Ingredients with limit values that require monitoring at the workplace: | |
|--------------------------|---|--|
| CAS: 7785-87-7 ma | CAS: 7785-87-7 manganese sulphate | |
| IOELV (EU) | Long-term value: 0.2* 0.05** mg/m³ as Mn; *inhalable, **respirable fraction | |
| MAK (Austria) | Short-term value: 1.6 E, 0.16 A mg/m³ Long-term value: 0.2 E, 0.05 A mg/m³ Als Mn berechnet | |
| AGW (Germany) | Long-term value: 0.02A; 0.2E mg/m³ 8(II);DFG,Y,10, 20 | |
| LEP (Spain) | Long-term value: 0.2 *0.05 mg/m³ VLI, como Mn; *respirable, d, | |
| VLEP (France) | Long-term value: 0.05* 0.20** mg/m³ *fraction alvéolaire **inhalable; en manganèse | |
| WEL (Great Britain) | Long-term value: 0.2* 0.05** mg/m³ as Mn *inhalable fraction *respirable fraction | |
| VL (Italy) | Long-term value: 0.2 mg/m³ Frazione inalabile; come Mn | |
| WGW (Netherland) | Long-term value: 0.2* 0.05** mg/m³ als Mn; *inhaleerbaar **respirabel | |
| CAS: 77-92-9 Citric acid | | |
| AGW (Germany) | Long-term value: 2 E mg/m³ 2(I);DFG, Y | |

Regulatory information

IOELV (EU): (EU) 2019/1831

MAK (Austria): GKV 2020, 156. Verordnung, 09.04.2021, Teil II

AGW (Germany): TRGS 900

LEP (Spain): Límites de exposición profesional para agentes químicos

VLEP (France): ED 1487 05.2021 WEL (Great Britain): EH40/2020 VL (Italy): D.lgs. n. 81/2008

WGW (Netherland): Grenswaarden gezondheidsschadelijke stoffen

| DNELs CAS: 7785-87-7 manganese sulphate | | |
|---|---------------------------------------|-----------------------------|
| | | |
| Dermal | Long-term exposure - systemic effects | 0.002 mg/kg bw/d (consumer) |
| | | 0.004 mg/kg bw/d (workers) |
| | | (Contd. on nows 6) |



Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 5)

| | | (Conta. or page 3) |
|------------|---------------------------------------|------------------------|
| Inhalative | Long-term exposure - systemic effects | 0.043 mg/m³ (consumer) |
| | | 0.2 mg/m³ (workers) |
| | Long-term exposure - local effects | 0.2 mg/m³ (workers) |

PNECs

CAS: 7785-87-7 manganese sulphate

fresh water 0.03 mg/l sea water 0 mg/l intermittent release (fresh water) 0.088 mg/l STP 56 mg/l

sediment (fresh water) 0.011 mg/kg dw sediment (sea water) 0.001 mg/kg dw soil 25.1 mg/kg dw

Ingredients with biological limit values:

CAS: 7785-87-7 manganese sulphate

BGW (Germany) 20 µg/l

Untersuchungsmaterial: Vollblut

Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren

vorangegangenen Schichten, Expositionsende bzw. Schichtende

Parameter: Mangan

Regulatory information BGW (Germany): TRGS 903

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Prevent formation of aerosols.

Do not breathe mist/vapours/spray.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Respiratory protection:

If vapours/aerosols and/or inadequate ventilation are present, respiratory protection must be worn.

(Contd. on page 7)

(orgion number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 6)

Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection: Protective work clothing

Environmental exposure controls

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:PinkOdour:Sweetish

Odour threshold:No information available.Melting point/freezing point:No information available.

Boiling point or initial boiling point and boiling

range 100 °C

Flammability Not flammable.

Lower and upper explosion limit

Lower:No information available.Upper:No information available.

Flash point: Not applicable.

(Contd. on page 8)



Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 7)

Decomposition temperature:No information available.

pH 2.5

Viscosity:

Kinematic viscosityNo information available. **Dynamic:**No information available.

Solubility

water: Soluble.

Partition coefficient n-octanol/water (log value)

77-92-9 Citric acid | -1,6 log Kow

Vapour pressure: Not applicable.

Density and/or relative density

Density at 20 °C: 1.15 g/cm³

Vapour densityNo information available.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Softening point/range

Oxidising properties None.

Evaporation rateNo information available.

Information with regard to physical hazard

classes

Explosives void void Flammable gases Aerosols void Oxidising gases void Gases under pressure void Flammable liquids void Flammable solids void Self-reactive substances and mixtures void **Pyrophoric liquids** void Pyrophoric solids void Self-heating substances and mixtures void Substances and mixtures, which emit flammable gases in contact with water void Oxidising liquids void **Oxidising solids** void Organic peroxides void Corrosive to metals void

(Contd. on page 9)

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 8)

Desensitised explosives

void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No hazardous reactions known if stored and used as prescribed.
- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: oxidizing agent
- 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

| | LD/LC50 | values re | levant for classification: |
|-----------------------------------|------------|-----------|----------------------------|
| CAS: 7785-87-7 manganese sulphate | | | anganese sulphate |
| | Oral | LD50 | 2,150 mg/kg (rat) |
| | Inhalative | LC50/4h | > 4.45 mg/l (rat) |
| CAS: 77-92-9 Citric acid | | acid | |
| | Oral | LD50 | 5,400 mg/kg (mouse) |
| | Dermal | LD50 | > 2,000 mg/kg (rat) |

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 7785-87-7 manganese sulphate

LC50 (96 h) 49.9 mg/l (fish)

(Contd. on page 10)

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 9)

CAS: 77-92-9 Citric acid

LC50 (48 h) 440 mg/l (fish)

12.2 Persistence and degradability

For the inorganic ingredients, the methods for determining biodegradability are not applicable.

77-92-9 Citric acid 97 % (28 d)

12.3 Bioaccumulative potential

77-92-9 | Citric acid | -1,6 log Kow

12.4 Mobility in soil In the soil, product follows natural cycle to provide plant nutrients.

12.5 Results of PBT and vPvB assessment

PBT: The mixture does not contain PBT substances \geq 0,1 %.

vPvB: The mixture does not contain vPvB substances ≥ 0.1 %.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark: Harmful to fish

Additional ecological information:

General notes:

Harmful to aquatic life with long lasting effects.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

| 02 01 08* | agrochemical waste containing hazardous substances |
|-----------|---|
| HP4 | Irritant - skin irritation and eye damage |
| HP5 | Specific Target Organ Toxicity (STOT)/Aspiration Toxicity |
| HP14 | Ecotoxic |

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 11)

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 10)

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA not regulated
14.5 Environmental hazards: Not applicable.
14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.
UN "Model Regulation": not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

(Contd. on page 12)

Version number 1

Printing date 20.04.2023 Version number 1.0 Revision: 18.04.2023

Trade name: Phlex-Man

(Contd. of page 11)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation Specific target organ toxicity (repeated exposure) Hazardous to the aquatic environment - long-term The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

(chronic) aquatic hazard

UmEnA GmbH

http://umena.at

Email: office@umena.at

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU —